

テーブル 1 ステージと死亡率(7_150_C)

表示	ステージ	人数	生存率(%)			平均			
			2年	5年	10年	腫瘍倍増日数 (単位 日)	発見週数	発見時大きさ (単位 mm)	発見から死亡までの週数
7_150_1	1	851,870,805	97.2	67.3	9.1	187	782	8.9	331
	2	72,921,040	63.5	0.0	0.0	83	373	15.4	118
	3	25,926,066	0.0	0.0	0.0	46	224	27.1	51
	4	23,729,403	0.0	0.0	0.0	20	112	107.0	10
7_150_3	1	407,358,493	98.2	76.7	10.7	209	887	9.7	357
	2	248,628,112	96.7	53.5	0.7	191	871	16.1	267
	3	199,877,782	72.0	0.0	0.0	132	643	27.7	143
	4	118,582,927	0.0	0.0	0.0	67	361	78.3	4
7_150_5	1	241,345,354	98.7	74.1	10.3	210	889	9.7	357
	2	170,330,152	94.7	58.8	1.9	209	952	16.2	289
	3	354,854,917	84.0	15.4	0.0	173	853	30.2	177
	4	207,916,891	23.7	0.0	0.0	94	497	68.2	62

テーブル 2 ステージと死亡率(10_150_C)

表示	ステージ	人数	生存率 (%)			平均			
			2年	5年	10年	腫瘍倍増日数 (単位 日)	発見週数	発見時大きさ (単位 mm)	発見から死亡までの週数
10_150_1	1	517,170,409	97.5	70.8	5.9	207	900	11.4	330
	2	361,795,684	92.6	31.6	0.0	152	686	15.2	219
	3	62,580,590	22.5	0.0	0.0	68	330	26.2	77
	4	32,900,631	0.0	0.0	0.0	26	143	99.3	13
10_150_3	1	177,369,152	97.7	68.6	6.4	207	899	11.4	330
	2	285,584,770	97.1	59.5	1.8	208	948	16.3	287
	3	351,314,980	82.9	14.5	0.0	166	808	28.2	177
	4	160,178,412	11.6	0.0	0.0	81	430	71.5	51
10_150_5	1	99,978,667	96.8	77.6	5.1	211	918	11.4	336
	2	170,480,958	94.7	58.8	2.0	209	953	16.2	289
	3	462,217,715	86.6	16.1	0.0	185	916	31.0	185
	4	241,769,974	26.9	0.0	0.0	103	544	65.9	70

テーブル 3

検査間隔による生存率の変化 (10_100_C)

検査間隔 (単位 年)	平均		生存率 (%) と発見からの年数														
	発見時大きさ (単位 mm)	死亡までの週数	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	16.0	977	92.7	83.3	69.2	52.6	35.4	21.2	10.6	4.9	1.8	0.6	0.1	0.0	0.0	0.0	0.0
2	22.4	977	88.1	76.5	61.0	44.2	28.3	15.9	7.6	3.3	1.1	0.4	0.1	0.0	0.0	0.0	0.0
3	27.5	977	84.9	68.7	52.5	36.7	22.5	12.2	5.8	2.4	0.9	0.3	0.1	0.0	0.0	0.0	0.0
4	31.2	977	83.3	63.8	44.4	29.9	18.3	9.7	4.3	1.8	0.6	0.2	0.0	0.0	0.0	0.0	0.0
5	33.5	977	82.8	60.5	39.7	25.1	14.5	8.1	3.4	1.6	0.5	0.2	0.0	0.0	0.0	0.0	0.0
6	35.2	977	81.6	58.2	36.8	21.9	12.9	6.3	3.2	1.2	0.5	0.1	0.0	0.0	0.0	0.0	0.0
7	36.3	977	81.9	57.7	33.7	19.1	10.1	6.0	2.5	1.1	0.4	0.1	0.0	0.0	0.0	0.0	0.0
8	37.2	977	82.3	55.0	31.0	18.4	9.7	4.6	2.6	0.8	0.3	0.1	0.0	0.0	0.0	0.0	0.0
9	37.9	977	81.9	53.1	31.7	16.2	9.0	3.9	2.0	1.0	0.3	0.1	0.0	0.0	0.0	0.0	0.0
10	38.4	977	80.9	54.3	30.0	13.9	8.5	4.3	1.2	0.7	0.4	0.1	0.0	0.0	0.0	0.0	0.0

テーブル 4 検査間隔による生存率の変化 (10_150_C)

検査間隔 (単位 年)	平均		生存率(%)と発見からの年数														
	発見時大きさ (単位 mm)	死亡までの週数	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	16.7	1,020	94.4	87.6	77.0	64.0	49.3	34.5	22.5	12.9	7.0	3.1	1.3	0.5	0.1	0.0	0.0
2	23.6	1,020	91.0	82.6	70.7	56.9	41.4	28.9	17.8	9.9	5.0	2.3	0.9	0.3	0.1	0.0	0.0
3	28.8	1,020	89.6	78.0	63.8	49.4	35.2	23.3	14.3	7.8	3.9	1.7	0.6	0.2	0.1	0.0	0.0
4	32.6	1,020	89.4	75.6	57.9	43.7	29.4	19.2	11.3	6.1	3.1	1.2	0.4	0.2	0.1	0.0	0.0
5	35.0	1,020	88.8	74.3	56.0	38.3	25.9	15.5	9.6	4.8	2.5	0.9	0.4	0.1	0.0	0.0	0.0
6	36.8	1,020	88.6	73.1	53.0	36.7	22.1	14.4	7.8	4.3	2.2	0.8	0.4	0.1	0.0	0.0	0.0
7	37.8	1,020	88.8	71.5	53.3	33.7	20.7	11.6	7.2	3.6	1.6	0.8	0.2	0.1	0.0	0.0	0.0
8	38.7	1,020	88.0	72.9	50.0	32.5	19.9	10.4	5.7	3.6	1.7	0.5	0.3	0.1	0.0	0.0	0.0
9	39.4	1,020	87.4	73.6	47.8	32.5	17.4	11.2	5.0	2.5	1.6	0.7	0.1	0.1	0.0	0.0	0.0
10	40.0	1,020	87.0	74.0	47.9	29.7	17.5	9.5	5.4	1.9	1.0	0.6	0.3	0.0	0.0	0.0	0.0

テーブル 5 発見可能な腫瘍の大きさ

表示	発見可能な 大きさ (単位 mm)	生存率 (%)		5年生存者の人数	発見時大きさ (単位 mm)	平均	
		5年	10年			発見からの生存週数	最初からの生存週数
C_100_1	5	56.9	6.7	554,940,741	8.7	292	977
	7	48.3	2.7	471,031,057	11.7	257	977
	10	35.4	0.6	345,204,899	16.0	219	977
	15	19.3	0.0	187,626,539	22.9	177	977
	20	8.4	0.0	81,575,857	30.1	146	977
C_150_1	5	65.8	14.1	641020172	9.3	335	1,020
	7	58.8	8.0	573432138	12.3	300	1,020
	10	49.3	3.1	480392932	16.7	262	1,020
	15	35.4	0.6	344851117	23.8	219	1,020
	20	23.7	0.1	231040689	31.2	189	1,020
C_200_1	5	70.2	20.0	683,727,780	9.8	366	1,051
	7	64.4	13.0	627,758,990	12.8	330	1,051
	10	57.0	6.8	555,024,935	17.3	292	1,051
	15	45.5	2.1	443,292,406	24.5	250	1,051
	20	35.0	0.6	340,629,613	32.1	219	1,051